



U. S. Department of Homeland Security  
**United States Coast Guard**  
**Certificate of Approval**

Coast Guard Approval Number: 162.060/4/5

Expires: 02 June 2027

BALLAST WATER MANAGEMENT SYSTEM  
Filtration/Electrolysis

Sunrui Marine Environment Engineering Co., Ltd  
149-1 Zhuzhou Road, Laoshan District  
Qingdao, P.R. CHINA

Name of BWMS: BalClor, BalClor Smart

Capacities: 170-8,500 m3/h (BalClor), 130-7,200 m3/h (BalClor Smart)

This is to certify that the above listed BWMSs, with the listed treatment capacities, have been satisfactorily examined and tested by Independent Lab KR in accordance with the requirements contained in 46 CFR 162.060. The system shall be installed and operated in accordance with the below listed Operation, Maintenance, and Safety Manual applicable to the particular model.

SUNRUI BalClor Ballast Water Management System User Manual, Rev. 1.58, dated March 8, 2022  
SUNRUI BalClor Ballast Water Management System User Manual Ex, Rev. 1.26, dated March 8, 2022  
SUNRUI BalClor Smart Ballast Water Management System User Manual, Rev 1.36, dated July 11, 2024  
SUNRUI BalClor Smart Ballast Water Management System User Manual Ex, Rev 1.2, dated May 9, 2024

Installation Limitations: See Appendix

Operational Limitations: See Appendix

The BWMS must be marked in accordance with 46 CFR 162.060-22. A copy of this Type Approval Certificate shall be carried on board a vessel fitted with the BWMS at all times.

Vessel owners/operators are expected to consult with the manufacturer to ensure the BWMS's operational limitations and treatment flow rates are acceptable for the water frequented by their vessels.

This certificate supersedes Approval number 162.060/4/4 dated May 16, 2024; update includes reduced hold time for BalClor Smart.

\*\*\* End \*\*\*

THIS IS TO CERTIFY THAT the above named manufacturer has submitted to the undersigned satisfactory evidence that the item specified herein complies with the applicable laws and regulations as outlined on the reverse side of this Certificate, and approval is hereby given. This approval shall be in effect until the expiration date hereon unless sooner canceled or suspended by proper authority.

GIVEN UNDER MY HAND THIS 21<sup>st</sup> DAY OF  
NOVEMBER 2024, AT WASHINGTON D.C.



Acting Chief, Engineering Division  
BY DIRECTION OF THE COMMANDANT



**TERMS:** The approval of the item described on the face of the Certificate has been based upon the submittal of satisfactory evidence that the item complies with the applicable provisions of the navigation and shipping laws and the applicable regulations in Title 33 and/or Title 46 of the Code of Federal Regulations. The approval is subject to any conditions noted on this Certificate and in the applicable laws and regulations governing the use of the item on vessels subject to Coast Guard inspection or on other vessels and boats.

Consideration will be given to an extension of this approval provided application is made 3 months prior to the expiration date of this Certificate.

The approval holder is responsible for making sure that the required inspections or tests of materials or devices covered by this approval are carried out during production as prescribed in the applicable regulations.

The approval of the item covered by this certificate is valid only so long as the item is manufactured in conformance with the details of the approved drawings, specifications, or other data referred to. No modification in the approved design, construction, or materials is to be adopted until the modification has been presented for consideration by the Commandant and confirmation received that the proposed alteration is acceptable.

**NOTICE:** Where a manufacturer of safety-at-sea equipment is offering for sale to the maritime industry, directly or indirectly, equipment represented to be approved, which fails to conform with either the design details or material specifications, or both, as approved by the Coast Guard, immediate action may be taken to invoke the various penalties and sanctions provided by law including prosecution under 46 U.S.C. 3318, which provides:

"A person that knowingly manufactures, sells, offers for sale, or possesses with intent to sell, any equipment subject to this part (*Part B. of Subtitle II of Title 46 U.S.C.*) and the equipment is so defective as to be insufficient to accomplish the purpose for which it is intended, shall be fined not more than \$10,000, imprisoned for not more than 5 years or both."

INSTALLATION LIMITATIONS

In addition to meeting 46 CFR 162.060, which approves the operation of this BWMS in U.S. waters, this type approval certificate also allows for the installation and operation of this BWMS on the following vessels and/or shipboard locations:

BWMS Model	U.S. Flag Installation	Hazardous Location Installation (U.S. Flag) <sup>1,3</sup>	Hazardous Location Installation (Foreign Flag) <sup>2,3</sup>
BalClor			
BalClor Ex			X
BalClor Smart			
BalClor Smart Ex			X
1) Models have been verified to meet the requirements of 46 CFR 111.105 2) Subject to approval of the foreign administration 3) The electrolytic disinfection unit (EDU), automatic neutralization unit (ANU), rectifier, system control cabinet, motor control cabinet, seawater pump and dosing pump must remain outside of hazardous locations. The Ex models are acceptable for use in hazardous areas defined as Zone 1.			
Note: "X" indicates approval for installation.			

OPERATIONAL LIMITATIONS:

Salinity: Not Applicable  
Temperature: Not Applicable  
Hold Time: BalClor BWMS with Filtersafe, Bollfilter, and Kanagawa Filters: >24 hours  
BalClor BWMS with Luoyang Sunrui Filter: Not Applicable  
BalClor Smart BWMS: >24 hours  
Electrolyte Feed Temperature: >5°C  
Electrolyte Feed Salinity: >15 Practical Salinity Units (PSU)  
Total Residual Oxidant (TRO): 7.5 mg/L (BalClor), 9.8 mg/L (BalClor Smart)

\*\*\*END\*\*\*